

Catalog Number: IR239-896

Anti-CD138 / Syndecan-1 antibody

Package size: 25, 100 μ l

Store at: -20°C


MW (kDa): 180 to 280

Overview

Product Name	CD138 / Syndecan-1 antibody
Product Number	IR239-896
Gene Description	syndecan 1 / SDC1
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Recommended Applications Dilutions	Western Blot 1:500 Immunofluorescence 1:200 Immunohistochemistry (Paraffin) 1:100
Storage Buffer	100mM Tris Glycine, 20% Glycerol (pH7). 0.025% ProClin 300 was added as a preservative
Concentration	1.17 mg/ml
Purity	Affinity column purified
Storage	Store at +4°C for short term storage. Long time storage is recommended at -20°C
Notes	Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.

Image

IR239-896 anti- CD138 / Syndecan-1 antibody WB image




All lanes : Anti- CD138 / Syndecan-1 antibody at 1/500 dilution

Lysates/proteins at 60 μ g per lane

This blot was produced using a 5% SDS-PAGE. The gel was run at 140V for 50 minutes before being transferred onto a Nitrocellulose membrane at 18V for 60 minutes. The membrane was then blocked for an hour before being incubated with IR239-896 overnight at 4°C.


Image



IR239-896 anti- CD138 / Syndecan-1 antibody ICC/IF image

Immunofluorescence: cells were fixed with 4% paraformaldehyde for 10 min at RT, permeabilized with 0.1% NP-40 for 10 min at RT then blocked with 5% BSA for 30 min at room temperature. Cells were stained with IR239-896 anti- CD138 / Syndecan-1 antibody (red) at 1:200 and 4°C. DAPI (blue) was used as the nuclear counter stain.

Image



IR239-896 anti- CD138 / Syndecan-1 antibody IHC image

Immunohistochemical analysis of paraffin embedded Human cancer tissue labeling CD138 / Syndecan-1 with IR239-896 at 1/100.

IReal Biotechnology Co., Ltd.

 **iReal Antibodies**



ISO 13485:2016 Quality Management System Certified

 www.irealbio.com

 03-5260005

 irealbio@irealbio.com